


Noopept #16 in DMSO-d6  
NEO 300  
1D Proton Spectrum 16 scans  
Feb. 5, 2019




8.600  
8.581  
8.561

8.249  
8.229  
8.210

Noopept #16 in DMSO-d6  
NEO 300  
1D Proton Spectrum 16 scans  
Feb. 5, 2019

7.307  
7.300  
7.283  
7.278  
7.272  
7.259  
7.234  
7.225  
7.218  
7.211  
7.200  
7.191  
7.187  
7.177  
7.164



8.7 8.6 8.5 8.4 8.3 8.2 8.1 8.0 7.9 7.8 7.7 7.6 7.5 7.4 7.3 7.2 7.1 7.0 ppm

1.00

1.60

12.97

4.485  
4.476  
4.456  
4.448


4.339  
4.331  
4.308

4.116  
4.112  
4.105  
4.093  
4.089  
4.082  
4.069  
4.065  
4.058  
4.045  
4.034

3.857  
3.837  
3.800  
3.780

3.658  
3.631  
3.617  
3.605  
3.553  
3.527  
3.504  
3.488  
3.471  
3.449  
3.418  
3.408  
3.381  
3.370  
3.355  
3.343  
3.310

Noopept #16 in DMSO-d6  
NEO 300  
1D Proton Spectrum 16 scans  
Feb. 5, 2019



4.6 4.5 4.4 4.3 4.2 4.1 4.0 3.9 3.8 3.7 3.6 3.5 3.4 3.3 ppm

1.00 1.62 5.26 5.25 5.14 4.09 1.35 1.27

